


Health Care Utilization and Access

Percentage of Persons Who Had No Usual Place for Routine, Preventive Care by Age and Sex, Northwest Salt Lake Valley Community Residents, 1999



*** Sample size insufficient to produce population estimates

- Continuity of care is generally thought to improve the health care a person receives. A person whose usual place of care is an urgent care center or a hospital emergency department is visiting a health care provider who does not have the benefit of the patient's medical record, or knowledge of their personality or social situation.
- While most Northwest SL Valley community residents sought routine care at a doctor's office or public clinic, 6.5% reported that a hospital emergency department or urgent care clinic was their usual place for routine, preventive care, and only 2.5% reported that they had no place for such care.

Health Care Utilization and Access: Percentage of Persons Who Had No Usual Place for Routine, Preventive Care (Question 13)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had No Usual Place for Routine, Preventive Care		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had No Usual Place for Routine, Preventive Care ²	Number of Persons ^{1,3}	Percentage Distribution of Persons Who Had No Usual Place for Routine, Preventive Care by Category
Place for Routine, Preventive Care					
Dr. Office	45.8%	20,900			
Emergency/Urgent Care Clinic	6.5%	3,000			
Public Clinic	34.6%	15,800			
Hospital/Private Clinic	7.9%	3,600			
Military/VA Facility or Other Place	2.7%	1,200			
No Place to Go	2.5%	1,200			
Total, All Persons	100.0%	45,700			
Sex					
Males	49.6%	22,700	3.2% ± 1.1%	700	63.6%
Females	50.4%	23,000	1.9% ± 0.9%	400	36.4%
Total, All Persons	100.0%	45,700	2.5% ± 0.9%	1,200	100.0%
Age Group					
17 or Under	30.2%	13,800	2.1% ± 1.3%	300	25.0%
18 to 34	24.6%	11,200	2.9% ± 1.3%	300	25.0%
35 to 49	20.6%	9,400	2.9% ± 1.5%	300	25.0%
50 to 64	12.6%	5,800	2.8% ± 1.9%	200	16.7%
65 or Over	12.0%	5,500	*** ± ***	***	***
Total, All Persons	100.0%	45,700	2.5% ± 0.9%	1,200	100.0%
Sex and Age					
Males 17 and Under	15.3%	7,000	2.3% ± 1.5%	200	16.7%
Males 18 to 34	12.6%	5,800	3.3% ± 1.7%	200	16.7%
Males 35 to 49	10.6%	4,900	3.7% ± 2.0%	200	16.7%
Males 50 to 64	5.9%	2,700	3.5% ± 2.8%	100	8.3%
Males 65 and Over	5.1%	2,300	*** ± ***	***	***
Females 17 and Under	14.9%	6,800	1.9% ± 1.6%	100	8.3%
Females 18 to 34	12.0%	5,500	2.4% ± 1.4%	100	8.3%
Females 35 to 49	10.0%	4,600	2.0% ± 1.6%	100	8.3%
Females 50 to 64	6.7%	3,100	2.1% ± 2.0%	100	8.3%
Females 65 and Over	6.9%	3,100	*** ± ***	***	***
Total, All Persons	100.0%	45,700	2.5% ± 0.9%	1,200	100.0%
Community					
Jordan Meadows	13.4%	6,100	2.2% ± 2.0%	100	8.3%
Poplar Grove	24.8%	11,300	4.8% ± 2.8%	500	41.7%
Rose Park	18.9%	8,600	1.8% ± 1.5%	200	16.7%
State Fairpark	11.8%	5,400	*** ± ***	***	***
West Salt Lake	18.2%	8,300	1.2% ± 0.9%	100	8.3%
Westpointe	11.3%	5,100	*** ± ***	***	***
Other	1.7%	800	*** ± ***	***	***
Total, All Persons	100.0%	45,700	2.5% ± 0.9%	1,200	100.0%

Health Care Utilization and Access: Percentage of Persons Who Had No Usual Place for Routine, Preventive Care (Question 13)
(Continued from Previous Page)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had No Usual Place for Routine, Preventive Care			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had No Usual Place for Routine, Preventive Care ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had No Usual Place for Routine, Preventive Care by Category	
Hispanic Ethnicity						
Hispanic	40.0%	18,300	3.3% ± 1.7%	600	50.0%	
Non-Hispanic	60.0%	27,400	2.1% ± 1.0%	600	50.0%	
Total, All Persons	100.0%	45,700	2.5% ± 0.9%	1,200	100.0%	
Race						
American Indian	2.5%	1,200	*** ± ***	***	***	
Asian	5.1%	2,300	*** ± ***	***	***	
Black	5.1%	2,300	*** ± ***	***	***	
Pacific Islander	7.4%	3,400	*** ± ***	***	***	
White	55.4%	25,300	1.7% ± 0.9%	400	33.3%	
Other	29.4%	13,400	2.3% ± 1.9%	300	25.0%	
Total, All Persons ⁴	100.0%	45,700	2.5% ± 0.9%	1,200	100.0%	

1 Rounded to the nearest 100 persons.


2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Persons Who Had No Usual Place for Sick Care by Age and Sex, Northwest Salt Lake Valley Community Residents, 1999



*** Sample size insufficient to produce population estimates

- Some persons whose usual place for sick or routine care is a hospital emergency department are probably doing so inappropriately. Not only is this a very costly use of the medical system, but those persons are not benefiting from the continuity of care that would be found in other settings. A hospital emergency room is often used as a last resort, when a person can not afford to see a doctor or get an appointment under other circumstances.
- Overall, 13.5% reported that a hospital emergency room or urgent care clinic was their usual place for sick care, and 3.6% reported that they had no place for such care.

Health Care Utilization and Access: Percentage of Persons Who Had No Usual Place for Sick Care (Question 14)

by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had No Usual Place for Sick Care		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had No Usual Place for Sick Care ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had No Usual Place for Sick Care by Category
Place for Sick Care					
Dr. Office	41.9%	19,100			
Emergency/Urgent Care Clinic	13.5%	6,200			
Public Clinic	29.0%	13,300			
Hospital/Private Clinic	5.9%	2,700			
Military/VA Facility or Other Place	6.1%	2,800			
No Place to Go	3.6%	1,700			
Total, All Persons	100.0%	45,700			
Sex					
Males	49.6%	22,700	4.1% ± 1.4%	900	56.3%
Females	50.4%	23,000	3.2% ± 1.3%	700	43.8%
Total, All Persons	100.0%	45,700	3.6% ± 1.2%	1,700	100.0%
Age Group					
17 or Under	30.2%	13,800	3.8% ± 1.8%	500	31.3%
18 to 34	24.6%	11,200	3.9% ± 1.6%	400	25.0%
35 to 49	20.6%	9,400	4.5% ± 1.9%	400	25.0%
50 to 64	12.6%	5,800	2.6% ± 1.7%	200	12.5%
65 or Over	12.0%	5,500	1.1% ± 1.1%	100	6.3%
Total, All Persons	100.0%	45,700	3.6% ± 1.2%	1,700	100.0%
Sex and Age					
Males 17 and Under	15.3%	7,000	3.9% ± 2.0%	300	17.6%
Males 18 to 34	12.6%	5,800	4.2% ± 1.9%	200	11.8%
Males 35 to 49	10.6%	4,900	5.8% ± 2.4%	300	17.6%
Males 50 to 64	5.9%	2,700	3.1% ± 2.4%	100	5.9%
Males 65 and Over	5.1%	2,300	*** ± ***	***	***
Females 17 and Under	14.9%	6,800	3.6% ± 2.1%	200	11.8%
Females 18 to 34	12.0%	5,500	3.7% ± 1.8%	200	11.8%
Females 35 to 49	10.0%	4,600	3.0% ± 1.9%	100	5.9%
Females 50 to 64	6.7%	3,100	2.2% ± 1.9%	100	5.9%
Females 65 and Over	6.9%	3,100	*** ± ***	***	***
Total, All Persons	100.0%	45,700	3.6% ± 1.2%	1,700	100.0%
Community					
Jordan Meadows	13.4%	6,100	3.5% ± 2.6%	200	11.8%
Poplar Grove	24.8%	11,300	6.4% ± 3.3%	700	41.2%
Rose Park	18.9%	8,600	3.2% ± 2.9%	300	17.6%
State Fairpark	11.8%	5,400	*** ± ***	***	***
West Salt Lake	18.2%	8,300	1.6% ± 1.3%	100	5.9%
Westpointe	11.3%	5,100	*** ± ***	***	***
Other	1.7%	800	*** ± ***	***	***
Total, All Persons	100.0%	45,700	3.6% ± 1.2%	1,700	100.0%

**Health Care Utilization and Access: Percentage of Persons Who Had No Usual Place
for Sick Care (Question 14)**
(Continued from Previous Page)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had No Usual Place for Sick Care		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had No Usual Place for Sick Care ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had No Usual Place for Sick Care by Category
Hispanic Ethnicity					
Hispanic	40.0%	18,300	6.1% ± 2.7%	1,100	64.7%
Non-Hispanic	60.0%	27,400	2.1% ± 0.9%	600	35.3%
Total, All Persons	100.0%	45,700	3.6% ± 1.2%	1,700	100.0%
Race					
American Indian	2.5%	1,200	15.2% ± 15.2%	200	11.8%
Asian	5.1%	2,300	*** ± ***	***	***
Black	5.1%	2,300	*** ± ***	***	***
Pacific Islander	7.4%	3,400	*** ± ***	***	***
White	55.4%	25,300	1.4% ± 0.8%	400	23.5%
Other	29.4%	13,400	6.1% ± 3.2%	800	47.1%
Total, All Persons ⁴	100.0%	45,700	3.6% ± 1.2%	1,700	100.0%

1 Rounded to the nearest 100 persons.


2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Persons Who Reported More Than Three Years Since Seeing a Doctor by Age and Sex, Northwest Salt Lake Valley Community Residents, 1999



- Although the need for an annual, routine physical exam varies with age and health status, many health screening exams, such as blood pressure check, Pap smear for women, and digital rectal exam, are recommended annually for most adults.
- Overall, 75% of Northwest SL Valley residents sought medical care in the last year, and 88% had visited a doctor in the previous three years. Only 4% had never seen a doctor.
- Those most likely to have gone without a doctor visit in the past three years were males age 18 to 34 (21%) and males age 35 to 49 (22%), those in the Poplar Grove community (17%), and persons who indicated they were Pacific Islander (27%).

**Health Care Utilization and Access: Percentage of Respondents Who Reported
More Than Three Years Since Seeing a Doctor (Question 17)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.**

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Reported Three or More Years Since Seeing a Doctor		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Reported Three or More Years Since Seeing a Doctor ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Reported Three or More Years Since Seeing a Doctor by Category
Time Since Saw Doctor					
Within Past 6 Months	56.0%	25,600			
6 Months - 1 Year	19.0%	8,700			
1 - 3 Years	13.2%	6,100			
More Than 3 Years	7.9%	3,600			
Never	3.8%	1,700			
	100.0%	45,700			
Sex					
Males	49.6%	22,700	14.9% ± 2.0%	3,400	63.0%
Females	50.4%	23,000	8.6% ± 1.7%	2,000	37.0%
Total, All Persons	100.0%	45,700	11.7% ± 1.6%	5,400	100.0%
Age Group					
17 or Under	30.2%	13,800	9.6% ± 2.6%	1,300	24.5%
18 to 34	24.6%	11,200	14.9% ± 2.6%	1,700	32.1%
35 to 49	20.6%	9,400	16.6% ± 3.2%	1,600	30.2%
50 to 64	12.6%	5,800	7.3% ± 2.8%	400	7.5%
65 or Over	12.0%	5,500	4.7% ± 2.3%	300	5.7%
Total, All Persons	100.0%	45,700	11.7% ± 1.6%	5,400	100.0%
Sex and Age					
Males 17 and Under	15.3%	7,000	9.5% ± 2.9%	700	13.0%
Males 18 to 34	12.6%	5,800	21.0% ± 4.1%	1,200	22.2%
Males 35 to 49	10.6%	4,900	21.9% ± 4.4%	1,100	20.4%
Males 50 to 64	5.9%	2,700	7.4% ± 3.9%	200	3.7%
Males 65 and Over	5.1%	2,300	7.3% ± 4.0%	200	3.7%
Females 17 and Under	14.9%	6,800	9.6% ± 3.1%	700	13.0%
Females 18 to 34	12.0%	5,500	8.8% ± 2.4%	500	9.3%
Females 35 to 49	10.0%	4,600	10.8% ± 3.3%	500	9.3%
Females 50 to 64	6.7%	3,100	7.3% ± 3.7%	200	3.7%
Females 65 and Over	6.9%	3,100	2.8% ± 2.2%	100	1.9%
Total, All Persons	100.0%	45,700	11.7% ± 1.6%	5,400	100.0%
Community					
Jordan Meadows	13.4%	6,100	11.3% ± 4.2%	700	13.2%
Poplar Grove	24.8%	11,300	17.1% ± 4.0%	1,900	35.8%
Rose Park	18.9%	8,600	8.3% ± 2.8%	700	13.2%
State Fairpark	11.8%	5,400	11.6% ± 4.3%	600	11.3%
West Salt Lake	18.2%	8,300	9.1% ± 3.4%	800	15.1%
Westpointe	11.3%	5,100	10.0% ± 5.2%	500	9.4%
Other	1.7%	800	15.5% ± 9.7%	100	1.9%
Total, All Persons	100.0%	45,700	11.7% ± 1.6%	5,400	100.0%

Health Care Utilization and Access: Percentage of Respondents Who Reported More Than Three Years Since Seeing a Doctor (Question 17)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.
(Continued from Previous Page)

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Reported Three or More Years Since Seeing a Doctor			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Reported Three or More Years Since Seeing a Doctor ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Reported Three or More Years Since Seeing a Doctor by Category	
Hispanic Ethnicity						
Hispanic	40.0%	18,300	15.1% ± 3.0%	2,800	51.9%	
Non-Hispanic	60.0%	27,400	9.6% ± 1.9%	2,600	48.1%	
Total, All Persons	100.0%	45,700	11.7% ± 1.6%	5,400	100.0%	
Race						
American Indian	2.5%	1,200	19.5% ± 14.8%	200	3.7%	
Asian	5.1%	2,300	*** ± ***	***	***	
Black	5.1%	2,300	8.8% ± 6.5%	200	3.7%	
Pacific Islander	7.4%	3,400	27.1% ± 10.2%	900	16.7%	
White	55.4%	25,300	6.9% ± 1.5%	1,800	33.3%	
Other	29.4%	13,400	13.6% ± 3.5%	1,800	33.3%	
Total, All Persons ⁴	100.0%	45,700	11.7% ± 1.6%	5,400	100.0%	

1 Rounded to the nearest 100 persons.


2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Persons Who Reported More Than Three Years Since Seeing a Dentist by Age and Sex, Northwest Salt Lake Valley Community Residents Age 1 or Over, 1999



- A routine dental cleaning and exam is recommended at least annually for all persons age 1 and over. We asked survey respondents how long it had been since they had seen a dentist for any reason.
- Although 58% of Northwest SL Valley residents age 1 or over had seen a dentist in the past year, 26% reported that it had been more than three years — 14% had never seen a dentist.
- Persons 65 or over were more likely than the average (34%) to have gone over 3 years without a dental visit, as were persons in Poplar Grove (35%), and those who were Hispanic (35%) or Black (43%).
- When persons can not afford care, because of the cost of that care or because they lack health care coverage, they will often go without preventive care. By delaying until there is a significant problem they often incur greater costs overall, in both dollars and in chronic health problems.

Health Care Utilization and Access: Percentage of Respondents Who Reported More Than Three Years Since Seeing a Dentist (Question 24)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents
Age 1 or Over, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution, Persons Age 1 or Over		Survey Estimates of Respondents Who Reported Three or More Years Since Seeing a Doctor		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Reported Three or More Years Since Seeing a Dentist ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Reported Three or More Years Since Seeing a Dentist by Category
Time Since Saw Dentist					
Within Past 6 Months	38.3%	17,100			
6 Months - 1 Year	20.1%	9,000			
1 - 3 Years	15.8%	7,100			
More Than 3 Years	12.1%	5,400			
Never	13.8%	6,100			
Total, Persons Age 1 or Over	100.0%	44,700			
Sex					
Males	50.3%	22,500	27.4% ± 2.5%	6,200	53.4%
Females	49.8%	22,200	24.2% ± 2.5%	5,400	46.6%
Total, Persons Age 1 or Over	100.0%	44,700	25.8% ± 2.2%	11,500	100.0%
Age Group					
1 to 17	34.8%	15,500	29.2% ± 3.8%	4,500	39.1%
18 to 34	28.7%	12,800	22.4% ± 3.2%	2,900	25.2%
35 to 49	18.1%	8,100	22.1% ± 3.6%	1,800	15.7%
50 to 64	9.5%	4,300	22.7% ± 4.8%	1,000	8.7%
65 or Over	9.0%	4,000	33.7% ± 5.7%	1,300	11.3%
Total, Persons Age 1 or Over	100.0%	44,700	25.8% ± 2.2%	11,500	100.0%
Sex and Age					
Males 1 to 17	17.6%	7,900	28.9% ± 4.3%	2,300	19.8%
Males 18 to 34	14.8%	6,600	26.0% ± 4.2%	1,700	14.7%
Males 35 to 49	9.6%	4,300	26.8% ± 4.8%	1,200	10.3%
Males 50 to 64	4.4%	2,000	20.3% ± 5.8%	400	3.4%
Males 65 and Over	3.8%	1,700	35.4% ± 8.1%	600	5.2%
Females 1 to 17	17.1%	7,700	29.6% ± 4.7%	2,300	19.8%
Females 18 to 34	13.9%	6,200	18.8% ± 3.5%	1,200	10.3%
Females 35 to 49	8.4%	3,800	16.8% ± 4.1%	600	5.2%
Females 50 to 64	5.1%	2,300	24.7% ± 6.2%	600	5.2%
Females 65 and Over	5.2%	2,300	32.4% ± 6.7%	700	6.0%
Total, Persons Age 1 or Over	100.0%	44,700	25.8% ± 2.2%	11,500	100.0%

Health Care Utilization and Access: Percentage of Respondents Who Reported More Than Three Years Since Seeing a Dentist (Question 24)

by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents

Age 1 or Over, 1999.

(Continued from Previous Page)

	Northwest SL Valley Community Distribution, Persons Age 1 or Over		Survey Estimates of Respondents Who Reported Three or More Years Since Seeing a Doctor			
			Percentage of Persons Who Reported Three or More Years Since Seeing a Dentist ²		Number of Persons ^{1,3}	Percentage Distribution of Persons Who Reported Three or More Years Since Seeing a Dentist by Category
Demographic Subgroup	Percentage Distribution	Number of Persons ¹				
Community						
Jordan Meadows	13.3%	6,000	26.9%	± 5.9%	1,600	13.8%
Poplar Grove	24.8%	11,100	34.5%	± 4.7%	3,800	32.8%
Rose Park	19.1%	8,500	22.2%	± 4.6%	1,900	16.4%
State Fairpark	11.8%	5,300	22.0%	± 5.7%	1,200	10.3%
West Salt Lake	18.2%	8,100	23.1%	± 5.1%	1,900	16.4%
Westpointe	11.1%	4,900	20.6%	± 7.0%	1,000	8.6%
Other	1.8%	800	19.8%	± 11.9%	200	1.7%
Total, Persons Age 1 or Over	100.0%	44,700	25.8%	± 2.2%	11,500	100.0%
Hispanic Ethnicity						
Hispanic	39.5%	17,700	34.6%	± 3.8%	6,100	52.6%
Non-Hispanic	60.5%	27,000	20.5%	± 2.5%	5,500	47.4%
Total, Persons Age 1 or Over	100.0%	44,700	25.8%	± 2.2%	11,500	100.0%
Race						
American Indian	2.4%	1,100	22.9%	± 18.1%	300	2.7%
Asian	4.9%	2,200	23.1%	± 12.2%	500	4.5%
Black	5.1%	2,300	43.2%	± 13.5%	1,000	9.0%
Pacific Islander	7.3%	3,200	32.5%	± 11.3%	1,000	9.0%
White	55.9%	25,000	17.0%	± 2.2%	4,200	37.8%
Other	29.1%	13,000	31.4%	± 4.4%	4,100	36.9%
Total, Persons Age 1 or Over ⁴	100.0%	44,700	25.8%	± 2.2%	11,500	100.0%

1 Rounded to the nearest 100 persons.


2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

**Percentage of Persons Who Reported That Cost Prevented
Them From Getting Health Care in the Last 12 Months by
Age and Sex, Northwest Salt Lake Valley Community
Residents, 1999**



- Among residents of Northwest SL Valley, 34% indicated that they needed health care in the previous 12 months, but were unable to get it because of cost. The most commonly cited type of health care that was prevented was dental care, reported for 26% of all persons surveyed. Following that were prescription medicine (14%), and medical care (11%).
- Cost was more likely to be a barrier to access to health care for young adults age 18-34, 40% of whom reported that they had been prevented from obtaining some type of needed health care in the previous 12 months.

Health Care Utilization and Access: Percentage of Persons Who Reported That Cost Prevented Them From Getting Health Care in the Last 12 Months (Question 18) by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Reported That Cost Prevented Them From Getting Health Care		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Reported That Cost Prevented Them From Getting Health Care ²	Number of Persons ^{1,3}	Percentage Distribution of Persons Who Reported That Cost Prevented Them From Getting Health Care by Category
Cost Prevented Getting Health Care					
Yes	34.3%	15,700			
No	65.7%	30,000			
Total, All Persons	100.0%	45,700			
Sex					
Males	49.6%	22,700	33.5% ± 2.9%	7,600	48.4%
Females	50.4%	23,000	35.1% ± 2.7%	8,100	51.6%
Total, All Persons	100.0%	45,700	34.3% ± 2.5%	15,700	100.0%
Age Group					
17 or Under	30.2%	13,800	29.9% ± 4.1%	4,100	26.1%
18 to 34	24.6%	11,200	39.6% ± 3.6%	4,400	28.0%
35 to 49	20.6%	9,400	37.8% ± 4.3%	3,600	22.9%
50 to 64	12.6%	5,800	34.8% ± 5.8%	2,000	12.7%
65 or Over	12.0%	5,500	28.7% ± 5.6%	1,600	10.2%
Total, All Persons	100.0%	45,700	34.3% ± 2.5%	15,700	100.0%
Sex and Age					
Males 17 and Under	15.3%	7,000	33.4% ± 4.9%	2,300	14.6%
Males 18 to 34	12.6%	5,800	35.6% ± 4.2%	2,100	13.3%
Males 35 to 49	10.6%	4,900	36.2% ± 5.0%	1,800	11.4%
Males 50 to 64	5.9%	2,700	30.6% ± 6.8%	800	5.1%
Males 65 and Over	5.1%	2,300	24.3% ± 7.2%	600	3.8%
Females 17 and Under	14.9%	6,800	26.3% ± 4.4%	1,800	11.4%
Females 18 to 34	12.0%	5,500	44.0% ± 4.4%	2,400	15.2%
Females 35 to 49	10.0%	4,600	39.6% ± 5.4%	1,800	11.4%
Females 50 to 64	6.7%	3,100	38.5% ± 6.9%	1,200	7.6%
Females 65 and Over	6.9%	3,100	31.9% ± 6.3%	1,000	6.3%
Total, All Persons	100.0%	45,700	34.3% ± 2.5%	15,700	100.0%
Community					
Jordan Meadows	13.4%	6,100	30.9% ± 7.2%	1,900	12.1%
Poplar Grove	24.8%	11,300	41.3% ± 5.5%	4,700	29.9%
Rose Park	18.9%	8,600	33.4% ± 5.4%	2,900	18.5%
State Fairpark	11.8%	5,400	34.7% ± 6.3%	1,900	12.1%
West Salt Lake	18.2%	8,300	35.0% ± 6.4%	2,900	18.5%
Westpointe	11.3%	5,100	24.3% ± 6.5%	1,200	7.6%
Other	1.7%	800	22.1% ± 11.1%	200	1.3%
Total, All Persons	100.0%	45,700	34.3% ± 2.5%	15,700	100.0%

Health Care Utilization and Access: Percentage of Persons Who Reported That Cost Prevented Them From Getting Health Care in the Last 12 Months (Question 18) by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.
(Continued from Previous Page)

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Reported That Cost Prevented Them From Getting Health Care			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Reported That Cost Prevented Them From Getting Health Care ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Reported That Cost Prevented Them From Getting Health Care by Category	
Hispanic Ethnicity						
Hispanic	40.0%	18,300	38.2% ± 4.2%	7,000	44.6%	
Non-Hispanic	60.0%	27,400	31.7% ± 3.2%	8,700	55.4%	
Total, All Persons	100.0%	45,700	34.3% ± 2.5%	15,700	100.0%	
Race						
American Indian	2.5%	1,200	58.4% ± 19.7%	700	4.5%	
Asian	5.1%	2,300	35.3% ± 14.1%	800	5.1%	
Black	5.1%	2,300	33.7% ± 10.5%	800	5.1%	
Pacific Islander	7.4%	3,400	27.4% ± 12.4%	900	5.7%	
White	55.4%	25,300	31.2% ± 3.4%	7,900	50.3%	
Other	29.4%	13,400	34.4% ± 5.1%	4,600	29.3%	
Total, All Persons ⁴	100.0%	45,700	34.3% ± 2.5%	15,700	100.0%	

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Health Care Utilization and Access: Specific Types of Care That Cost Prevented (Question 18) Northwest Salt Lake Valley Community Residents, 1999.


Demographic Subgroup	Northwest SL Valley Community Distribution	
	Percentage Distribution	Number of Persons ¹
Specific Types of Care That Costs Prevented		
Prescription Medicine	14.2%	6,500
Mental Health Care, Counseling	4.8%	2,200
Dental Care (including check-ups)	25.8%	11,800
Medical Care (including check-ups)	11.4%	5,200
Prescription Eyeglasses	8.7%	4,000
Other	0.9%	400
Cost Did Not Prevent Getting Care	65.7%	30,000
Total, All Persons ²	100.0%	45,700

1 Rounded to the nearest 100 persons.

2 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Persons Who Reported a Delay in Getting Needed Medical Care (Any Reason) by Age and Sex, Northwest Salt Lake Valley Community Residents, 1999



- Overall, 28% of Northwest SL Valley community residents indicated that they had experienced barriers to accessing medical care (delayed getting needed medical care for some reason). The most commonly cited reason for delaying medical care was cost (19%).
- Males, age 65 or over were less likely to report that they had experienced barriers to accessing medical care (16.2%), although women age 65 or over were no less likely than average to have experienced barriers to medical care (32%, not statistically different from the overall percentage).
- Note that cost was reported to have prevented care for 34% of persons overall, whereas only 28% reported delays for any reason, and 19% reported delays because of cost. Clearly one achieves different survey results depending on how the question is worded. Asking directly about “cost” in the survey question has been found to elicit higher reported barriers in other surveys in Utah and elsewhere.

Health Care Utilization and Access: Percentage of Persons Who Reported a Delay in Getting Needed Medical Care (Any Reason) (Question 19)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Reported a Delay in Getting Needed Health Care (Any Reason)		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Reported a Delay in Getting Needed Health Care (Any Reason) ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Reported a Delay in Getting Needed Health Care (Any Reason) by Category
Delayed Getting Needed Health Care (Any Reason)					
Yes	28.2%	12,900			
No	71.8%	32,800			
Total, All Persons	100.0%	45,700			
Sex					
Males	49.6%	22,700	27.1% ± 2.9%	6,100	47.7%
Females	50.4%	23,000	29.3% ± 2.8%	6,700	52.3%
Total, All Persons	100.0%	45,700	28.2% ± 2.6%	12,900	100.0%
Age Group					
17 or Under	30.2%	13,800	28.6% ± 4.1%	4,000	31.0%
18 to 34	24.6%	11,200	29.4% ± 3.7%	3,300	25.6%
35 to 49	20.6%	9,400	31.3% ± 4.1%	2,900	22.5%
50 to 64	12.6%	5,800	27.9% ± 5.2%	1,600	12.4%
65 or Over	12.0%	5,500	19.8% ± 4.9%	1,100	8.5%
Total, All Persons	100.0%	45,700	28.2% ± 2.6%	12,900	100.0%
Sex and Age					
Males 17 and Under	15.3%	7,000	30.3% ± 4.9%	2,100	16.3%
Males 18 to 34	12.6%	5,800	26.1% ± 4.3%	1,500	11.6%
Males 35 to 49	10.6%	4,900	30.5% ± 4.7%	1,500	11.6%
Males 50 to 64	5.9%	2,700	22.6% ± 6.3%	600	4.7%
Males 65 and Over	5.1%	2,300	16.2% ± 6.0%	400	3.1%
Females 17 and Under	14.9%	6,800	26.9% ± 4.5%	1,800	14.0%
Females 18 to 34	12.0%	5,500	32.8% ± 4.5%	1,800	14.0%
Females 35 to 49	10.0%	4,600	32.3% ± 5.0%	1,500	11.6%
Females 50 to 64	6.7%	3,100	32.4% ± 6.5%	1,000	7.8%
Females 65 and Over	6.9%	3,100	22.5% ± 5.7%	700	5.4%
Total, All Persons	100.0%	45,700	28.2% ± 2.6%	12,900	100.0%
Community					
Jordan Meadows	13.4%	6,100	29.8% ± 7.3%	1,800	14.0%
Poplar Grove	24.8%	11,300	32.9% ± 5.4%	3,700	28.7%
Rose Park	18.9%	8,600	25.2% ± 5.6%	2,200	17.1%
State Fairpark	11.8%	5,400	28.8% ± 6.8%	1,600	12.4%
West Salt Lake	18.2%	8,300	29.1% ± 7.3%	2,400	18.6%
Westpointe	11.3%	5,100	19.7% ± 6.2%	1,000	7.8%
Other	1.7%	800	19.6% ± 11.9%	200	1.6%
Total, All Persons	100.0%	45,700	28.2% ± 2.6%	12,900	100.0%

Health Care Utilization and Access: Percentage of Persons Who Reported a Delay in Getting Needed Medical Care (Any Reason) (Question 19)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

(Continued from Previous Page)

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Reported a Delay in Getting Needed Health Care (Any Reason)		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Reported a Delay in Getting Needed Health Care (Any Reason) ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Reported a Delay in Getting Needed Health Care (Any Reason) by Category
Hispanic Ethnicity					
Hispanic	40.0%	18,300	28.9% ± 4.1%	5,300	41.1%
Non-Hispanic	60.0%	27,400	27.7% ± 3.2%	7,600	58.9%
Total, All Persons	100.0%	45,700	28.2% ± 2.6%	12,900	100.0%
Race					
American Indian	2.5%	1,200	50.5% ± 21.7%	600	4.3%
Asian	5.1%	2,300	40.7% ± 15.5%	900	6.4%
Black	5.1%	2,300	35.2% ± 15.9%	800	5.7%
Pacific Islander	7.4%	3,400	20.0% ± 10.4%	700	5.0%
White	55.4%	25,300	26.4% ± 3.3%	6,700	47.9%
Other	29.4%	13,400	31.9% ± 5.2%	4,300	30.7%
Total, All Persons ⁴	100.0%	45,700	28.2% ± 2.6%	12,900	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Health Care Utilization and Access: Specific Reasons for Delay (Question 19)
Northwest Salt Lake Valley Community Residents, 1999.


Demographic Subgroup	Northwest SL Valley Community Distribution	
	Percentage Distribution	Number of Persons ¹
Specific Reasons for Delay		
Could Not Get Through on the Phone	1.9%	900
Once There, Had to Wait Too Long	5.0%	2,300
Office/Clinic Not Open When You Could Go	2.4%	1,100
No Transportation	3.3%	1,500
Cost Was Too High	18.8%	8,600
Clinic/Doctor Too Far to Go	1.7%	800
Other	2.3%	1,100
No Delay	71.8%	32,800
Total, All Persons ²	100.0%	45,700

1 Rounded to the nearest 100 persons.

2 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Persons Who Had Visited an Eye Doctor in the Past Year by Age and Sex, Northwest Salt Lake Valley Community Residents, 1999



- About one-fifth (20%) of Northwest SL Valley community residents reported seeing an eye doctor in the past 12 months. The likelihood of seeing an eye doctor was strongly related to age, with almost five times as many persons age 65 or over seeing an eye doctor, compared with those who were 17 or under (48% versus 10%).
- Persons who were less likely to have seen an eye doctor included residents of Poplar Grove (16%) and persons who indicated they were Hispanic (12%) or Pacific Islander (9%).

**Health Care Utilization and Access: Percentage of Persons Who Had Visited
an Eye Doctor in the Past Year (Question 20)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.**

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited an Eye Doctor in the Past Year		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Visited an Eye Doctor in the Past Year ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Visited an Eye Doctor in the Past Year by Category
Visited Eye Doctor in Past Year					
Yes	20.2%	9,200			
No	79.8%	36,500			
Total, All Persons	100.0%	45,700			
Sex					
Males	49.6%	22,700	17.8% ± 1.9%	4,000	43.5%
Females	50.4%	23,000	22.6% ± 2.1%	5,200	56.5%
Total, All Persons	100.0%	45,700	20.2% ± 1.7%	9,200	100.0%
Age Group					
17 or Under	30.2%	13,800	9.9% ± 2.0%	1,400	13.6%
18 to 34	24.6%	11,200	17.4% ± 2.5%	1,900	18.4%
35 to 49	20.6%	9,400	24.6% ± 3.5%	2,300	22.3%
50 to 64	12.6%	5,800	35.7% ± 5.2%	2,100	20.4%
65 or Over	12.0%	5,500	47.5% ± 5.7%	2,600	25.2%
Total, All Persons	100.0%	45,700	20.2% ± 1.7%	9,200	100.0%
Sex and Age					
Males 17 and Under	15.3%	7,000	9.6% ± 2.3%	700	6.9%
Males 18 to 34	12.6%	5,800	14.3% ± 3.1%	800	7.8%
Males 35 to 49	10.6%	4,900	22.7% ± 4.3%	1,100	10.8%
Males 50 to 64	5.9%	2,700	32.9% ± 6.9%	900	8.8%
Males 65 and Over	5.1%	2,300	44.9% ± 8.2%	1,000	9.8%
Females 17 and Under	14.9%	6,800	10.2% ± 2.7%	700	6.9%
Females 18 to 34	12.0%	5,500	20.7% ± 3.7%	1,100	10.8%
Females 35 to 49	10.0%	4,600	26.7% ± 4.7%	1,200	11.8%
Females 50 to 64	6.7%	3,100	38.2% ± 6.7%	1,200	11.8%
Females 65 and Over	6.9%	3,100	49.4% ± 7.0%	1,500	14.7%
Total, All Persons	100.0%	45,700	20.2% ± 1.7%	9,200	100.0%
Community					
Jordan Meadows	13.4%	6,100	21.5% ± 4.5%	1,300	14.0%
Poplar Grove	24.8%	11,300	15.6% ± 2.9%	1,800	19.4%
Rose Park	18.9%	8,600	25.3% ± 4.2%	2,200	23.7%
State Fairpark	11.8%	5,400	21.7% ± 5.1%	1,200	12.9%
West Salt Lake	18.2%	8,300	18.4% ± 4.0%	1,500	16.1%
Westpointe	11.3%	5,100	21.5% ± 5.1%	1,100	11.8%
Other	1.7%	800	19.9% ± 8.5%	200	2.2%
Total, All Persons	100.0%	45,700	20.2% ± 1.7%	9,200	100.0%

**Health Care Utilization and Access: Percentage of Persons Who Had Visited
an Eye Doctor in the Past Year (Question 20)** (Continued from Previous Page)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited an Eye Doctor in the Past Year			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Visited an Eye Doctor in the Past Year ²		Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Visited an Eye Doctor in the Past Year by Category
Hispanic Ethnicity						
Hispanic	40.0%	18,300	11.5%	± 2.1%	2,100	22.8%
Non-Hispanic	60.0%	27,400	25.9%	± 2.3%	7,100	77.2%
Total, All Persons	100.0%	45,700	20.2%	± 1.7%	9,200	100.0%
Race						
American Indian	2.5%	1,200	23.2%	± 17.6%	300	2.8%
Asian	5.1%	2,300	17.0%	± 5.5%	400	3.8%
Black	5.1%	2,300	14.4%	± 7.3%	300	2.8%
Pacific Islander	7.4%	3,400	8.7%	± 5.3%	300	2.8%
White	55.4%	25,300	29.9%	± 2.7%	7,600	71.7%
Other	29.4%	13,400	12.3%	± 2.7%	1,700	16.0%
Total, All Persons ⁴	100.0%	45,700	20.2%	± 1.7%	9,200	100.0%

1 Rounded to the nearest 100 persons.


2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Persons Who Had Visited a Foot Doctor in the Past Year by Age and Sex, Northwest Salt Lake Valley Community Residents, 1999



- Only a few (4%) Northwest SL Valley community residents talked with a foot doctor in the previous year. Persons age 65 or over were much more likely to have done so (16%).

**Health Care Utilization and Access: Percentage of Persons Who Had Visited
a Foot Doctor in the Past Year (Question 20)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.**

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited Foot Doctor in the Past Year		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Reported Talking With a Foot Doctor in the Past Year ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Visited a Foot Doctor in the Past Year by Category
Visited a Foot Doctor in Past Year					
Yes	4.2%	1,900			
No	95.8%	43,800			
Total, All Persons	100.0%	45,700			
Sex					
Males	49.6%	22,700	3.2% ± 0.8%	700	36.8%
Females	50.4%	23,000	5.2% ± 1.1%	1,200	63.2%
Total, All Persons	100.0%	45,700	4.2% ± 0.7%	1,900	100.0%
Age Group					
17 or Under	30.2%	13,800	1.2% ± 0.6%	200	9.1%
18 to 34	24.6%	11,200	2.6% ± 0.9%	300	13.6%
35 to 49	20.6%	9,400	4.4% ± 1.5%	400	18.2%
50 to 64	12.6%	5,800	9.5% ± 3.3%	500	22.7%
65 or Over	12.0%	5,500	15.5% ± 4.2%	800	36.4%
Total, All Persons	100.0%	45,700	4.2% ± 0.7%	1,900	100.0%
Sex and Age					
Males 17 and Under	15.3%	7,000	1.1% ± 0.8%	100	4.5%
Males 18 to 34	12.6%	5,800	2.7% ± 1.3%	200	9.1%
Males 35 to 49	10.6%	4,900	3.1% ± 1.7%	100	4.5%
Males 50 to 64	5.9%	2,700	8.9% ± 4.2%	200	9.1%
Males 65 and Over	5.1%	2,300	9.5% ± 4.9%	200	9.1%
Females 17 and Under	14.9%	6,800	1.3% ± 0.9%	100	4.5%
Females 18 to 34	12.0%	5,500	2.6% ± 1.4%	100	4.5%
Females 35 to 49	10.0%	4,600	6.0% ± 2.6%	300	13.6%
Females 50 to 64	6.7%	3,100	10.0% ± 4.5%	300	13.6%
Females 65 and Over	6.9%	3,100	19.8% ± 5.7%	600	27.3%
Total, All Persons	100.0%	45,700	4.2% ± 0.7%	1,900	100.0%
Community					
Jordan Meadows	13.4%	6,100	4.1% ± 2.0%	200	11.1%
Poplar Grove	24.8%	11,300	4.6% ± 1.5%	500	27.8%
Rose Park	18.9%	8,600	4.6% ± 2.0%	400	22.2%
State Fairpark	11.8%	5,400	5.6% ± 2.2%	300	16.7%
West Salt Lake	18.2%	8,300	2.9% ± 1.1%	200	11.1%
Westpointe	11.3%	5,100	2.1% ± 1.3%	100	5.6%
Other	1.7%	800	9.9% ± 5.6%	100	5.6%
Total, All Persons	100.0%	45,700	4.2% ± 0.7%	1,900	100.0%

**Health Care Utilization and Access: Percentage of Persons Who Had Visited
a Foot Doctor in the Past Year (Question 20)** (Continued from Previous Page)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited a Foot Doctor in the Past Year		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Visited a Foot Doctor in the Past Year ²	Number of Persons ^{1,3}	Percentage Distribution of Persons Who Had Visited a Foot Doctor in the Past Year by Category
Hispanic Ethnicity					
Hispanic	40.0%	18,300	2.4% ± 0.8%	400	21.1%
Non-Hispanic	60.0%	27,400	5.3% ± 1.0%	1,500	78.9%
Total, All Persons	100.0%	45,700	4.2% ± 0.7%	1,900	100.0%
Race					
American Indian	2.5%	1,200	*** ± ***	***	***
Asian	5.1%	2,300	3.2% ± 2.8%	100	5.3%
Black	5.1%	2,300	*** ± ***	***	***
Pacific Islander	7.4%	3,400	3.2% ± 2.3%	100	5.3%
White	55.4%	25,300	5.9% ± 1.2%	1,500	78.9%
Other	29.4%	13,400	2.8% ± 1.1%	400	21.1%
Total, All Persons ⁴	100.0%	45,700	4.2% ± 0.7%	1,900	100.0%

1 Rounded to the nearest 100 persons.


2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Persons Who Had Visited a Physical Therapist in the Past Year by Age and Sex, Northwest Salt Lake Valley Community Residents, 1999



- Approximately 4% of Northwest SL Valley community residents talked with a physical therapist in the previous year. Persons age 35 to 49 (7%), those age 50 to 64 (7%), and persons who were white (6%) were more likely than average to have visited a physical therapist. Males and females were equally likely to have visited a physical therapist.

**Health Care Utilization and Access: Percentage of Persons Who Had Visited
a Physical Therapist in the Past Year (Question 20)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.**

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited a Physical Therapist in the Past Year		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Reported Talking With a Physical Therapist in the Past Year ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Visited a Physical Therapist in the Past Year by Category
Visited a P.T. in Past Year					
Yes	3.8%	1,700			
No	96.2%	44,000			
Total, All Persons	100.0%	45,700			
Sex					
Males	49.6%	22,700	3.5% ± 0.9%	800	47.1%
Females	50.4%	23,000	4.1% ± 1.0%	900	52.9%
Total, All Persons	100.0%	45,700	3.8% ± 0.8%	1,700	100.0%
Age Group					
17 or Under	30.2%	13,800	1.1% ± 0.6%	100	5.6%
18 to 34	24.6%	11,200	3.7% ± 1.3%	400	22.2%
35 to 49	20.6%	9,400	6.9% ± 2.1%	600	33.3%
50 to 64	12.6%	5,800	6.9% ± 2.7%	400	22.2%
65 or Over	12.0%	5,500	6.0% ± 2.7%	300	16.7%
Total, All Persons	100.0%	45,700	3.8% ± 0.8%	1,700	100.0%
Sex and Age					
Males 17 and Under	15.3%	7,000	1.1% ± 0.8%	100	4.8%
Males 18 to 34	12.6%	5,800	4.2% ± 1.8%	200	9.5%
Males 35 to 49	10.6%	4,900	5.8% ± 2.4%	300	14.3%
Males 50 to 64	5.9%	2,700	7.4% ± 3.9%	200	9.5%
Males 65 and Over	5.1%	2,300	2.8% ± 2.7%	100	4.8%
Females 17 and Under	14.9%	6,800	1.1% ± 0.8%	100	4.8%
Females 18 to 34	12.0%	5,500	3.2% ± 1.8%	200	9.5%
Females 35 to 49	10.0%	4,600	8.2% ± 3.0%	400	19.0%
Females 50 to 64	6.7%	3,100	6.4% ± 3.8%	200	9.5%
Females 65 and Over	6.9%	3,100	8.3% ± 3.9%	300	14.3%
Total, All Persons	100.0%	45,700	3.8% ± 0.8%	1,700	100.0%
Community					
Jordan Meadows	13.4%	6,100	2.8% ± 1.3%	200	11.1%
Poplar Grove	24.8%	11,300	4.3% ± 1.9%	500	27.8%
Rose Park	18.9%	8,600	4.6% ± 1.8%	400	22.2%
State Fairpark	11.8%	5,400	4.2% ± 2.2%	200	11.1%
West Salt Lake	18.2%	8,300	3.2% ± 1.8%	300	16.7%
Westpointe	11.3%	5,100	2.4% ± 1.3%	100	5.6%
Other	1.7%	800	7.0% ± 5.7%	100	5.6%
Total, All Persons	100.0%	45,700	3.8% ± 0.8%	1,700	100.0%

**Health Care Utilization and Access: Percentage of Persons Who Had Visited
a Physical Therapist in the Past Year (Question 20)** (Continued from Previous Page)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited a Physical Therapist in the Past Year		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Visited a Physical Therapist in the Past Year ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Visited a Physical Therapist in the Past Year by Category
Hispanic Ethnicity					
Hispanic	40.0%	18,300	1.4% ± 0.6%	300	16.7%
Non-Hispanic	60.0%	27,400	5.3% ± 1.2%	1,500	83.3%
Total, All Persons	100.0%	45,700	3.8% ± 0.8%	1,700	100.0%
Race					
American Indian	2.5%	1,200	*** ± ***	***	***
Asian	5.1%	2,300	*** ± ***	***	***
Black	5.1%	2,300	3.6% ± 3.5%	100	5.9%
Pacific Islander	7.4%	3,400	2.5% ± 1.8%	100	5.9%
White	55.4%	25,300	6.0% ± 1.4%	1,500	88.2%
Other	29.4%	13,400	1.7% ± 0.9%	200	11.8%
Total, All Persons ⁴	100.0%	45,700	3.8% ± 0.8%	1,700	100.0%

1 Rounded to the nearest 100 persons.


2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Persons Who Had Visited a Nurse Practitioner/Midwife in the Past Year by Age and Sex, Northwest Salt Lake Valley Community Residents, 1999



*** Sample size insufficient to produce population estimates

- A little over 4% of Northwest SL Valley community residents talked with a nurse practitioner or nurse midwife in the previous year. Women age 18 to 34 were more likely to have done so (12%).

**Health Care Utilization and Access: Percentage of Persons Who Had Visited
a Nurse Practitioner/Midwife in the Past Year (Question 20)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.**

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited a Nurse Practitioner/Midwife in the Past Year		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Visited a Nurse Practitioner/Midwife in the Past Year ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Visited a Nurse Practitioner/Midwife in the Past Year by Category
Visited a N.P./Midwife in Past Year					
Yes	4.4%	2,000			
No	95.6%	43,700			
Total, All Persons	100.0%	45,700			
Sex					
Males	49.6%	22,700	2.9% \pm 0.9%	700	33.3%
Females	50.4%	23,000	5.9% \pm 1.2%	1,400	66.7%
Total, All Persons	100.0%	45,700	4.4% \pm 0.8%	2,000	100.0%
Age Group					
17 or Under	30.2%	13,800	2.8% \pm 1.2%	400	20.0%
18 to 34	24.6%	11,200	7.1% \pm 1.7%	800	40.0%
35 to 49	20.6%	9,400	4.6% \pm 1.7%	400	20.0%
50 to 64	12.6%	5,800	4.0% \pm 2.1%	200	10.0%
65 or Over	12.0%	5,500	2.8% \pm 1.8%	200	10.0%
Total, All Persons	100.0%	45,700	4.4% \pm 0.8%	2,000	100.0%
Sex and Age					
Males 17 and Under	15.3%	7,000	3.1% \pm 1.7%	200	10.0%
Males 18 to 34	12.6%	5,800	2.9% \pm 1.7%	200	10.0%
Males 35 to 49	10.6%	4,900	3.0% \pm 1.8%	100	5.0%
Males 50 to 64	5.9%	2,700	3.1% \pm 2.5%	100	5.0%
Males 65 and Over	5.1%	2,300	*** \pm ***	***	***
Females 17 and Under	14.9%	6,800	2.6% \pm 1.4%	200	10.0%
Females 18 to 34	12.0%	5,500	11.5% \pm 2.9%	600	30.0%
Females 35 to 49	10.0%	4,600	6.5% \pm 2.9%	300	15.0%
Females 50 to 64	6.7%	3,100	4.7% \pm 2.8%	100	5.0%
Females 65 and Over	6.9%	3,100	3.5% \pm 2.5%	100	5.0%
Total, All Persons	100.0%	45,700	4.4% \pm 0.8%	2,000	100.0%
Community					
Jordan Meadows	13.4%	6,100	4.5% \pm 2.0%	300	15.0%
Poplar Grove	24.8%	11,300	3.9% \pm 1.6%	400	20.0%
Rose Park	18.9%	8,600	4.4% \pm 2.2%	400	20.0%
State Fairpark	11.8%	5,400	3.6% \pm 1.9%	200	10.0%
West Salt Lake	18.2%	8,300	4.9% \pm 2.1%	400	20.0%
Westpointe	11.3%	5,100	5.8% \pm 2.3%	300	15.0%
Other	1.7%	800	*** \pm ***	***	***
Total, All Persons	100.0%	45,700	4.4% \pm 0.8%	2,000	100.0%

**Health Care Utilization and Access: Percentage of Persons Who Had Visited
a Nurse Practitioner/Midwife in the Past Year (Question 20)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.**
(Continued from Previous Page)

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited a Nurse Practitioner/Midwife in the Past Year		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Visited a Nurse Practitioner/Midwife in the Past Year ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Visited a Nurse Practitioner/Midwife in the Past Year by Category
Hispanic Ethnicity					
Hispanic	40.0%	18,300	2.7% ± 1.1%	500	25.0%
Non-Hispanic	60.0%	27,400	5.5% ± 1.1%	1,500	75.0%
Total, All Persons	100.0%	45,700	4.4% ± 0.8%	2,000	100.0%
Race					
American Indian	2.5%	1,200	10.1% ± 9.0%	100	5.0%
Asian	5.1%	2,300	*** ± ***	***	***
Black	5.1%	2,300	*** ± ***	***	***
Pacific Islander	7.4%	3,400	*** ± ***	***	***
White	55.4%	25,300	6.5% ± 1.3%	1,600	80.0%
Other	29.4%	13,400	2.6% ± 1.3%	400	20.0%
Total, All Persons ⁴	100.0%	45,700	4.4% ± 0.8%	2,000	100.0%

1 Rounded to the nearest 100 persons.


2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Persons Who Had Visited a Chiropractor in the Past Year by Age and Sex, Northwest Salt Lake Valley Community Residents, 1999



- About 4% of Northwest SL Valley community residents also talked with a chiropractor in the previous year. Persons in the middle-adult age groups were more likely to have done so (age 35 to 49, 8%; age 50 to 65, 9%).

**Health Care Utilization and Access: Percentage of Persons Who Had Visited
a Chiropractor in the Past Year (Question 20)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.**

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited a Chiropractor in the Past Year		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Visited a Chiropractor in the Past Year ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Visited a Chiropractor in the Past Year by Category
Visited a Chiropractor in Past Year					
Yes	4.4%	2,000			
No	95.6%	43,700			
Total, All Persons	100.0%	45,700			
Sex					
Males	49.6%	22,700	3.7% ± 0.9%	800	40.0%
Females	50.4%	23,000	5.1% ± 1.1%	1,200	60.0%
Total, All Persons	100.0%	45,700	4.4% ± 0.8%	2,000	100.0%
Age Group					
17 or Under	30.2%	13,800	1.3% ± 0.9%	200	9.1%
18 to 34	24.6%	11,200	5.1% ± 1.4%	600	27.3%
35 to 49	20.6%	9,400	7.5% ± 2.2%	700	31.8%
50 to 64	12.6%	5,800	8.9% ± 3.2%	500	22.7%
65 or Over	12.0%	5,500	4.2% ± 2.1%	200	9.1%
Total, All Persons	100.0%	45,700	4.4% ± 0.8%	2,000	100.0%
Sex and Age					
Males 17 and Under	15.3%	7,000	0.8% ± 0.6%	100	4.5%
Males 18 to 34	12.6%	5,800	4.6% ± 1.8%	300	13.6%
Males 35 to 49	10.6%	4,900	6.1% ± 2.5%	300	13.6%
Males 50 to 64	5.9%	2,700	8.0% ± 4.1%	200	9.1%
Males 65 and Over	5.1%	2,300	4.1% ± 3.2%	100	4.5%
Females 17 and Under	14.9%	6,800	1.9% ± 1.4%	100	4.5%
Females 18 to 34	12.0%	5,500	5.6% ± 1.9%	300	13.6%
Females 35 to 49	10.0%	4,600	9.1% ± 3.3%	400	18.2%
Females 50 to 64	6.7%	3,100	9.7% ± 4.1%	300	13.6%
Females 65 and Over	6.9%	3,100	4.2% ± 2.6%	100	4.5%
Total, All Persons	100.0%	45,700	4.4% ± 0.8%	2,000	100.0%
Community					
Jordan Meadows	13.4%	6,100	3.2% ± 1.8%	200	10.0%
Poplar Grove	24.8%	11,300	3.5% ± 1.2%	400	20.0%
Rose Park	18.9%	8,600	4.5% ± 1.6%	400	20.0%
State Fairpark	11.8%	5,400	6.0% ± 2.7%	300	15.0%
West Salt Lake	18.2%	8,300	4.8% ± 2.2%	400	20.0%
Westpointe	11.3%	5,100	5.5% ± 3.2%	300	15.0%
Other	1.7%	800	*** ± ***	***	***
Total, All Persons	100.0%	45,700	4.4% ± 0.8%	2,000	100.0%

**Health Care Utilization and Access: Percentage of Persons Who Had Visited
a Chiropractor in the Past Year (Question 20)** (Continued from Previous Page)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited a Chiropractor in the Past Year			Percentage Distribution of Persons Who Had Visited a Chiropractor in the Past Year by Category
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Visited a Chiropractor in the Past Year ²	Number of Persons ^{1, 3}		
Hispanic Ethnicity						
Hispanic	40.0%	18,300	2.6% ± 1.0%	500		25.0%
Non-Hispanic	60.0%	27,400	5.6% ± 1.2%	1,500		75.0%
Total, All Persons	100.0%	45,700	4.4% ± 0.8%	2,000		100.0%
Race						
American Indian	2.5%	1,200	*** ± ***	***		***
Asian	5.1%	2,300	3.3% ± 2.6%	100		5.0%
Black	5.1%	2,300	2.8% ± 2.7%	100		5.0%
Pacific Islander	7.4%	3,400	*** ± ***	***		***
White	55.4%	25,300	6.5% ± 1.4%	1,600		80.0%
Other	29.4%	13,400	3.0% ± 1.4%	400		20.0%
Total, All Persons ⁴	100.0%	45,700	4.4% ± 0.8%	2,000		100.0%

1 Rounded to the nearest 100 persons.


2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Persons Who Had Visited an Ethnic Healer in the Past Year by Age and Sex, Northwest Salt Lake Valley Community Residents, 1999



*** Sample size insufficient to produce population estimates

- Fewer than 1% of Northwest SL Valley community residents had talked with a traditional ethnic healer in the previous year. The frequencies for this item were extremely low, which made it impossible to test for subgroup differences.

Health Care Utilization and Access: Percentage of Persons Who Had Visited an Ethnic Healer in the Past Year (Question 20)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited an Ethnic Healer in the Past Year			
			Percentage of Persons Who Had Visited an Ethnic Healer in the Past Year ²		Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Visited an Ethnic Healer in the Past Year by Category
Demographic Subgroup	Percentage Distribution	Number of Persons ¹				
Visited a Traditional Ethnic Healer in Past Year						
Yes	0.5%	200				
No	99.6%	45,500				
Total, All Persons	100.0%	45,700				
Sex						
Males	49.6%	22,700	0.3%	± 0.3%	100	50.0%
Females	50.4%	23,000	0.6%	± 0.4%	100	50.0%
Total, All Persons	100.0%	45,700	0.5%	± 0.3%	200	100.0%
Age Group						
17 or Under	30.2%	13,800	***	± ***	***	***
18 to 34	24.6%	11,200	0.5%	± 0.4%	100	50.0%
35 to 49	20.6%	9,400	1.1%	± 1.0%	100	50.0%
50 to 64	12.6%	5,800	***	± ***	***	***
65 or Over	12.0%	5,500	***	± ***	***	***
Total, All Persons	100.0%	45,700	0.5%	± 0.3%	200	100.0%
Sex and Age						
Males 17 and Under	15.3%	7,000	***	± ***	***	***
Males 18 to 34	12.6%	5,800	***	± ***	***	***
Males 35 to 49	10.6%	4,900	***	± ***	***	***
Males 50 to 64	5.9%	2,700	***	± ***	***	***
Males 65 and Over	5.1%	2,300	***	± ***	***	***
Females 17 and Under	14.9%	6,800	***	± ***	***	***
Females 18 to 34	12.0%	5,500	***	± ***	***	***
Females 35 to 49	10.0%	4,600	1.4%	± 1.3%	100	50.0%
Females 50 to 64	6.7%	3,100	***	± ***	***	***
Females 65 and Over	6.9%	3,100	***	± ***	***	***
Total, All Persons	100.0%	45,700	0.5%	± 0.3%	200	100.0%
Community						
Jordan Meadows	13.4%	6,100	***	± ***	***	***
Poplar Grove	24.8%	11,300	***	± ***	***	***
Rose Park	18.9%	8,600	***	± ***	***	***
State Fairpark	11.8%	5,400	***	± ***	***	***
West Salt Lake	18.2%	8,300	***	± ***	***	***
Westpointe	11.3%	5,100	***	± ***	***	***
Other	1.7%	800	***	± ***	***	***
Total, All Persons	100.0%	45,700	0.5%	+ 0.3%	200	100.0%

Health Care Utilization and Access: Percentage of Persons Who Had Visited an Ethnic Healer in the Past Year (Question 20) (Continued from Previous Page)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Had Visited an Ethnic Healer in the Past Year			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Visited an Ethnic Healer in the Past Year ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Visited an Ethnic Healer in the Past Year by Category	
Hispanic Ethnicity						
Hispanic	40.0%	18,300	*** ± ***	***	***	
Non-Hispanic	60.0%	27,400	0.5% ± 0.4%	100	50.0%	
Total, All Persons	100.0%	45,700	0.5% ± 0.3%	200	100.0%	
Race						
American Indian	2.5%	1,200	*** ± ***	***	***	
Asian	5.1%	2,300	*** ± ***	***	***	
Black	5.1%	2,300	*** ± ***	***	***	
Pacific Islander	7.4%	3,400	*** ± ***	***	***	
White	55.4%	25,300	0.5% ± 0.4%	100	50.0%	
Other	29.4%	13,400	*** ± ***	***	***	
Total, All Persons ⁴	100.0%	45,700	0.5% ± 0.3%	200	100.0%	

1 Rounded to the nearest 100 persons.


2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates

Percentage of Persons Who Reported Use of Folk Remedies by Age and Sex, Northwest Salt Lake Valley Community Residents, 1999



- About 22% of Northwest SL Valley community residents reported using folk remedies in the previous year. Persons who indicated they were Hispanic (31%), were more likely to have done so. Those who were American Indian were also more likely to report use of folk remedies (38%), however, this difference exhibited a wide confidence interval and was not found to be statistically significant.
- Persons who indicated they were white were less likely to report use of folk remedies (15%).

**Health Care Utilization and Access: Percentage of Persons Who Reported
Use of Folk Remedies (Question 21)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.**

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Reported Use of Folk Remedies		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Reported Use of Folk Remedies ²	Number of Persons ^{1,3}	Percentage Distribution of Persons Who Reported Use of Folk Remedies by Category
Use of Folk Remedies					
Yes	22.2%	10,100			
No	77.8%	35,600			
Total, All Persons	100.0%	45,700			
Sex					
Males	49.6%	22,700	21.7% ± 2.7%	4,900	48.5%
Females	50.4%	23,000	22.7% ± 2.7%	5,200	51.5%
Total, All Persons	100.0%	45,700	22.2% ± 2.5%	10,100	100.0%
Age Group					0.0%
17 or Under	30.2%	13,800	20.5% ± 3.5%	2,800	27.7%
18 to 34	24.6%	11,200	23.5% ± 3.3%	2,600	25.7%
35 to 49	20.6%	9,400	25.2% ± 3.9%	2,400	23.8%
50 to 64	12.6%	5,800	23.9% ± 5.2%	1,400	13.9%
65 or Over	12.0%	5,500	16.0% ± 4.4%	900	8.9%
Total, All Persons	100.0%	45,700	22.2% ± 2.5%	10,100	100.0%
Sex and Age					
Males 17 and Under	15.3%	7,000	21.3% ± 4.1%	1,500	15.0%
Males 18 to 34	12.6%	5,800	23.8% ± 4.1%	1,400	14.0%
Males 35 to 49	10.6%	4,900	22.1% ± 4.4%	1,100	11.0%
Males 50 to 64	5.9%	2,700	20.1% ± 5.8%	500	5.0%
Males 65 and Over	5.1%	2,300	14.2% ± 5.8%	300	3.0%
Females 17 and Under	14.9%	6,800	19.6% ± 3.9%	1,300	13.0%
Females 18 to 34	12.0%	5,500	23.2% ± 3.7%	1,300	13.0%
Females 35 to 49	10.0%	4,600	28.8% ± 5.0%	1,300	13.0%
Females 50 to 64	6.7%	3,100	27.1% ± 6.5%	800	8.0%
Females 65 and Over	6.9%	3,100	17.3% ± 2.7%	500	5.0%
Total, All Persons	100.0%	45,700	22.2% ± 2.5%	10,100	100.0%
Community					
Jordan Meadows	13.4%	6,100	20.7% ± 6.4%	1,300	12.9%
Poplar Grove	24.8%	11,300	23.9% ± 5.6%	2,700	26.7%
Rose Park	18.9%	8,600	20.2% ± 5.1%	1,700	16.8%
State Fairpark	11.8%	5,400	24.5% ± 7.0%	1,300	12.9%
West Salt Lake	18.2%	8,300	19.3% ± 5.5%	1,600	15.8%
Westpointe	11.3%	5,100	23.5% ± 7.6%	1,200	11.9%
Other	1.7%	800	36.3% ± 16.4%	300	3.0%
Total, All Persons	100.0%	45,700	22.2% ± 2.5%	10,100	100.0%

**Health Care Utilization and Access: Percentage of Persons Who Reported
Use of Folk Remedies (Question 21)** (Continued from Previous Page)
by Selected Demographic Characteristics, Northwest Salt Lake Valley Community Residents, 1999.

Demographic Subgroup	Northwest SL Valley Community Distribution		Survey Estimates of Respondents Who Reported Use of Folk Remedies			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Reported Use of Folk Remedies ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Reported Use of Folk Remedies by Category	
Hispanic Ethnicity						
Hispanic	40.0%	18,300	30.9% ± 4.6%	5,700	55.9%	
Non-Hispanic	60.0%	27,400	16.4% ± 2.6%	4,500	44.1%	
Total, All Persons	100.0%	45,700	22.2% ± 2.5%	10,100	100.0%	
Race						
American Indian	2.5%	1,200	38.3% ± 21.0%	500	5.3%	
Asian	5.1%	2,300	19.6% ± 11.0%	500	5.3%	
Black	5.1%	2,300	20.1% ± 13.4%	500	5.3%	
Pacific Islander	7.4%	3,400	20.4% ± 10.5%	700	7.4%	
White	55.4%	25,300	15.4% ± 2.7%	3,900	41.1%	
Other	29.4%	13,400	25.3% ± 5.3%	3,400	35.8%	
Total, All Persons ⁴	100.0%	45,700	22.2% ± 2.5%	10,100	100.0%	

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the total because of missing values on the grouping variables.

4 Figures in this row sum to greater than 100% because respondents were allowed to select multiple answers.

*** Sample size insufficient to produce population estimates